

**WHAT IS CLAIMED IS:**

1. A method of defining contextual information comprising:

obtaining reference information;

assigning an identifier tag to the reference information;

and

storing the reference information correlating with the identifier tag.

2. The method of Claim 1, further comprising executing a program using the stored identifier tag.

3. The method of Claim 1, further comprising storing the correlated information in a mobile station.

4. The method of Claim 1, further comprising defining a context tag based on location data.

5. The method of Claim 1, further comprising defining a context tag based on time frame data.

6. The method of Claim 2, further comprising retrieving all context tags referred to within the program.

1           7.    The method of Claim 2, further comprising storing  
2           the correlated reference information and identifier tag in a  
3           first location and executing the program in a second location,  
4           wherein the second location does not obtain the reference  
5           information.

1           8.    The method of Claim 7, further comprising the first  
2           location informing the second location of a state of the  
3           identifier tag.

1           9.    A mobile station for use in a wireless communication  
2           system comprising:

3                   a memory which stores a plurality of context tags and  
4                   associated defining characteristics; and

5                   a processor which executes programs based on the context  
6                   tags which meet the current conditions.

1           10.   The mobile station of Claim 9, wherein the defining  
2           characteristics are location based.

1           11.   The mobile station of Claim 9, wherein the defining  
2           characteristics are time frame based.

1           12.   The mobile station of Claim 9, wherein the programs  
2           are obtained from memory.

09765813-011901

Sub  
a1

1           13. The mobile station of Claim 9, wherein the programs  
2           are obtained from the wireless web.

1           14. The mobile station of Claim 9, wherein the programs  
2           do not have access to the defining characteristics of the  
3           context tags.

1           15. The mobile station of Claim 9, wherein the memory  
2           informs the processor of the state of the context tags.

09752-098001-00046